

Wave Single lever mixer concealed set # WA42100080.. /
WA42100080.. / WA42100080.. / WA42100080.. / WA42100080..

|< 162 mm >|



Single lever mixer concealed set	Dimension	Weight	Order number
Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Outlet/Diverter: Diverter automatically reverts from hand shower to bath spout when turned off, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Including functional unit, Including trim parts			
Colors			
04 Bronze Brushed 10 Chrome High Gloss 34 Gold Polished 46 Black Matt 70 Stainless steel Brushed			
Variant			
Bronze Brushed, Flow rate (3 bar): 24 l/min	125x89 mm	1.630 kg	WA42100080..
Chrome, Flow rate (3 bar): 24 l/min	125x89 mm	1.630 kg	WA42100080..
Gold Polished, Flow rate (3 bar): 24 l/min	125x89 mm	1.630 kg	WA42100080..
Black Matt, Flow rate (3 bar): 24 l/min	125x89 mm	1.630 kg	WA42100080..
Stainless steel Brushed, Flow rate (3 bar): 24 l/min	125x89 mm	1.630 kg	WA42100080..
Suitable accessories for Chrome, Flow rate (3 bar): 24 l/min			
Hand shower 1jet Spray mode: Rain, Silicone nubs	245 x 110 mm	0.16 kg	UV0650013
Hand shower 1jet MinusFlow MinusFlow, Spray mode: Rain, Flow rate (3 bar): 9 l/min, Silicone nubs	245 x 110 mm	0.16 kg	UV0652013
Hand shower 1jet Spray mode: Rain, Silicone nubs	245 x 110 mm	0.16 kg	UV0650014
Hand shower 1jet MinusFlow MinusFlow, Spray mode: Rain, Flow rate (3 bar): 9 l/min, Silicone nubs	245 x 110 mm	0.16 kg	UV0652014
Hand shower 3jet Chrome/White High Gloss, Spray mode: SoftRain, Rain, IntenseRain, Spray mode selection: Rotating blasting disc, Silicone nubs	245 x 110 mm	0.2 kg	UV0650015

**Wave Single lever mixer concealed set # WA42100080.. /
WA42100080.. / WA42100080.. / WA42100080..**

|< 162 mm >|

Hand shower 3jet MinusFlow MinusFlow, Spray mode: SoftRain, Rain, IntenseRain, Spray mode selection: Rotating blasting disc, Flow rate (3 bar): 9 l/min, Silicone nubs	245 x 110 mm	0.2 kg	UV0652015
Hand shower 3jet Spray mode: SoftRain, Rain, IntenseRain, Spray mode selection: Rotating blasting disc, Silicone nubs	245 x 110 mm	0.2 kg	UV0650016
Hand shower 3jet MinusFlow MinusFlow, Spray mode: SoftRain, Rain, IntenseRain, Spray mode selection: Rotating blasting disc, Flow rate (3 bar): 9 l/min, Silicone nubs	245 x 110 mm	0.2 kg	UV0652016
Hand shower 3jet Click! Spray mode: Rain, Pulse, Mono, Spray mode selection: Push button, Silicone nubs	240 x 120 mm	0.23 kg	UV0650017
Hand shower 3jet Click! MinusFlow MinusFlow, Spray mode: Rain, Pulse, Mono, Spray mode selection: Push button, Flow rate (3 bar): 9 l/min, Silicone nubs	240 x 120 mm	0.24 kg	UV0652017
Showerhead 1jet 100 Material: Plastic, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	100 x 100 mm	0.15 kg	UV0660022
Showerhead 1jet 230 Material: Plastic, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Round, Diameter of showerhead: 230 mm, Spray mode: Rain	230 x 230 mm	0.56 kg	UV0660017
Showerhead 1jet 230 MinusFlow Material: Plastic, Showerhead angle adjustable, MinusFlow, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	230 x 230 mm	0.56 kg	UV0662017
Showerhead 1jet 250 Material: ABS, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Round, Diameter of showerhead: 250 mm, Spray mode: Rain	250 x 250 mm	0.65 kg	UV0660018
Showerhead 1jet 250 MinusFlow Material: Plastic, Showerhead angle adjustable, MinusFlow, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	250 x 250 mm	0.65 kg	UV0662018
Showerhead 1jet 200 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Round, Diameter of showerhead: 200 mm, Spray mode: Rain	200 x 200 mm	0.75 kg	UV0660019
Showerhead 1jet 300 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	300 x 300 mm	1.3 kg	UV0660020
Showerhead 1jet 400 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	400 x 400 mm	2.05 kg	UV0660021
Showerhead 1jet 200 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Square, 200x200 mm, Spray mode: Rain	200 x 200 mm	0.85 kg	UV0660030
Showerhead 1jet 300 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	300 x 300 mm	1.5 kg	UV0660031
wall outlet Round, Non-return valve: Individually, in the hose connection, Escutcheon shape: Round	55 x 102 mm	0.32 kg	UV0630009
wall outlet Square, Non-return valve: Individually, in the hose connection, Escutcheon shape: Square, Hand shower holder: Fixed	55 x 102 mm	0.3 kg	UV0630010
Shower hose Rotation lock: Yes, Nut shape: Conical, 1250 mm	1250 x 23 mm	0.28 kg	UV0610006
Shower hose Rotation lock: Yes, Nut shape: Conical, 1600 mm	1600 x 23 mm	0.345 kg	UV0610007

Wave Single lever mixer concealed set # WA42100080.. /
WA42100080.. / WA42100080.. / WA42100080.. / WA42100080..

|< 162 mm >|

Shower hose Rotation lock: Yes, Nut shape: Conical, 1800 mm	1800 x 23 mm	0.37 kg	UV0610008
Shower arms Escutcheon shape: Round	65 x 200 mm	0.186 kg	UV0670025
Shower arms Shower arm length: 300 mm, Escutcheon shape: Round	65 x 300 mm	0.154 kg	UV0670026
Shower arms Type of mounting: Wall mounting, Shower arm length: 210 mm, Escutcheon shape: Round	65 x 210 mm	0.15 kg	UV0670027
Shower arms Type of mounting: Wall mounting, Shower arm length: 410 mm, Escutcheon shape: Round	65 x 410 mm	0.232 kg	UV0670028
Shower arms Escutcheon shape: Square	65 x 210 mm	0.146 kg	UV0670036
Shower arms Escutcheon shape: Square	65 x 410 mm	0.232 kg	UV0670037

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.

