
Faucet Accessories Showerhead 1jet 300 # UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV0660031A.. / UV0660031A..

|< 45 mm >|



Showerhead 1jet 300	Dimension	Weight	Order number
Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain			
Colors			
04 Bronze Brushed 10 Chrome High Gloss 34 Gold Polished 46 Black Matt 70 Stainless steel Brushed			
Variant			
Type of mounting: Wall or ceiling mounting, Square, 300x300 mm, Flow rate (3 bar): 26 l/min, Bronze Brushed	300x300 mm	1.500 kg	UV06600310..
Type of mounting: Wall or ceiling mounting, Square, 300x300 mm, Flow rate (3 bar): 26 l/min, Chrome High Gloss	300x300 mm	1.500 kg	UV06600310..
Type of mounting: Wall or ceiling mounting, Square, 300x300 mm, Flow rate (3 bar): 26 l/min, Gold Polished	300x300 mm	1.500 kg	UV06600310..
Type of mounting: Wall or ceiling mounting, Square, 300x300 mm, Flow rate (3 bar): 26 l/min, Black Matt	300x300 mm	1.500 kg	UV06600310..
Type of mounting: Wall or ceiling mounting, Square, 300x300 mm, Flow rate (3 bar): 26 l/min, Stainless steel Brushed	300x300 mm	1.500 kg	UV06600310..
only for Asian markets, Type of mounting: Wall or ceiling mounting, Flow rate (3 bar): 6 l/min, Chrome High Gloss	300x300 mm	1.500 kg	UV0660031A..
only for Asian markets, Type of mounting: Wall or ceiling mounting, Flow rate (3 bar): 6 l/min, Black Matt	300x300 mm	1.500 kg	UV0660031A..
Suitable accessories for Type of mounting: Wall or ceiling mounting, Square, 300x300 mm, Flow rate (3 bar): 26 l/min, Chrome High Gloss			
Single lever shower mixer for concealed installation Number of outlets: 2, Chrome, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Hand shower, Showerhead, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Diameter escutcheon: 170 mm, Including functional unit, Including trim parts	170 x 86 mm	2.2 kg	B14210012
Single lever shower mixer for concealed installation Number of outlets: 2, Chrome, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Hand shower, Showerhead, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Diameter escutcheon: 170 mm, Including functional unit, Including trim parts	170 x 87 mm	2.15 kg	B24210012

Faucet Accessories Showerhead 1jet 300 # UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV0660031A.. / UV0660031A..

|< 45 mm >|

Single lever shower mixer for concealed installation Number of outlets: 2, Chrome, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Hand shower, Showerhead, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Diameter escutcheon: 170 mm, Including functional unit, Including trim parts	170 x 80 mm	2.1 kg	DE4210012
Single lever shower mixer for concealed installation Number of outlets: 2, Chrome, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Hand shower, Showerhead, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Diameter escutcheon: 170 mm, Including functional unit, Including trim parts	170 x 97 mm	2.2 kg	WT4210012
Single lever mixer concealed set Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Tub filler, Hand shower, Outlet/Diverter: Diverter automatically reverts from hand shower to bath spout when turned off, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Including functional unit, Including trim parts	125 x 73 mm	1.58 kg	CE4210008
Single lever mixer concealed set Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Outlet/Diverter: Diverter automatically reverts from hand shower to bath spout when turned off, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Including functional unit, Including trim parts	125 x 89 mm	1.63 kg	WA4210008
Single lever mixer concealed set Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Outlet/Diverter: Diverter automatically reverts from hand shower to bath spout when turned off, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Square, 125x171 mm, Including functional unit, Including trim parts	125 x 76 mm	1.61 kg	MH4210008
Single lever shower mixer for concealed installation Number of outlets: 2, Chrome, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Hand shower, Showerhead, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Diameter escutcheon: 170 mm, Including functional unit, Including trim parts	170 x 86 mm	1.75 kg	N14210012
Single lever shower mixer for concealed installation Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Hand shower, Showerhead, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Flow rate (3 bar): 22,5 l/min, Escutcheon shape: Round	170 x 82 mm	1.9 kg	CE4210012
Suitable accessories for Type of mounting: Wall or ceiling mounting, Square, 300x300 mm, Flow rate (3 bar): 26 l/min, Chrome High Gloss, Type of mounting: Wall or ceiling mounting, Square, 300x300 mm, Flow rate (3 bar): 26 l/min, Black Matt			
Single lever shower mixer for concealed installation Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Hand shower, Showerhead, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Square, Including functional unit, Including trim parts	150 x 77 mm	1.88 kg	C14210011

Faucet Accessories Showerhead 1jet 300 # UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV0660031A.. / UV0660031A..

|< 45 mm >|

Single lever shower mixer for concealed installation Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Hand shower, Showerhead, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Diameter escutcheon: 170 mm, Including functional unit, Including trim parts	170 x 77 mm	1.9 kg	C14210012
Single lever shower mixer for concealed installation Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Showerhead, Hand shower, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Including functional unit, Including trim parts	170 x 86 mm	2.2 kg	TU4210012
Shower arms Escutcheon shape: Round	65 x 200 mm	0.186 kg	UV0670025
Shower arms Shower arm length: 300 mm, Escutcheon shape: Round	65 x 300 mm	0.154 kg	UV0670026
Shower arms Type of mounting: Wall mounting, Shower arm length: 210 mm, Escutcheon shape: Round	65 x 210 mm	0.15 kg	UV0670027
Shower arms Type of mounting: Wall mounting, Shower arm length: 410 mm, Escutcheon shape: Round	65 x 410 mm	0.232 kg	UV0670028
Single lever shower mixer for concealed installation Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Hand shower, Showerhead, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Square, Including functional unit, Including trim parts	150 x 82 mm	2.15 kg	MH4210012
Single lever shower mixer for concealed installation Number of outlets: 2, Connection type: Basic Set, Ceramic cartridge, Consumer selection: Showerhead, Hand shower, Outlet/Diverter: Diverter valve, Number of outlets: 2, recommended operating pressure: 1 - 5 bar, Escutcheon shape: Round, Including functional unit, Including trim parts	170 x 92 mm	2.2 kg	WA4210012
Showerhead 1jet 300 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	300 x 300 mm	1.5 kg	UV0660031
Showerhead 1jet 200 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Square, 200x200 mm, Spray mode: Rain	200 x 200 mm	0.85 kg	UV0660030
Showerhead 1jet 400 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	400 x 400 mm	2.05 kg	UV0660021
Showerhead 1jet 300 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	300 x 300 mm	1.3 kg	UV0660020
Showerhead 1jet 200 Material: Stainless steel, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Round, Diameter of showerhead: 200 mm, Spray mode: Rain	200 x 200 mm	0.75 kg	UV0660019
Showerhead 1jet 250 MinusFlow Material: Plastic, Showerhead angle adjustable, MinusFlow, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	250 x 250 mm	0.65 kg	UV0662018
Showerhead 1jet 250 Material: ABS, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Round, Diameter of showerhead: 250 mm, Spray mode: Rain	250 x 250 mm	0.65 kg	UV0660018

Faucet Accessories Showerhead 1jet 300 # UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV0660031A.. / UV0660031A..


|< 45 mm >|

Showerhead 1jet 230 MinusFlow Material: Plastic, Showerhead angle adjustable, MinusFlow, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	230 x 230 mm	0.56 kg	UV0662017
Showerhead 1jet 230 Material: Plastic, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Round, Diameter of showerhead: 230 mm, Spray mode: Rain	230 x 230 mm	0.56 kg	UV0660017
Showerhead 1jet 100 Material: Plastic, Showerhead angle adjustable, Type of mounting: Ceiling mount, Wall mounting, Spray mode: Rain	100 x 100 mm	0.15 kg	UV0660022

Text for invitation of tenders

Duravit Showers & Accessoires Showerhead 1jet 300, Material: Stainless steel, Spray mode: Rain, Technical features: EasyClean, Rain, Recommended operating pressure: 1 bar, Type of mounting: Ceiling mount, Wall mounting, Showerhead angle adjustable, Diameter of showerhead: 300 mm

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.



Faucet Accessories Showerhead 1jet 300 # UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV06600310.. / UV0660031A.. / UV0660031A..

|< 45 mm >|